

ÁREA DE DOCUMENTACIÓN

CENTRO DE REFERENCIA ESTATAL DE ATENCIÓN A PERSONAS CON ENFERMEDAD DE ALZHEIMER Y OTRAS DEMENCIAS IMERSO.

ENFERMEDAD DE ALZHEIMER, DEMENCIAS Y MUJER

Referencias bibliográficas

- Aldana, G. y Guarino, L. (2012). Sobrecarga, afrontamiento y salud en cuidadoras de pacientes con demencia tipo Alzheimer. *Summa Psicológica*, 9(1), 5-14. http://pepsic.bvsalud.org/scielo.php?pid=S0719-448x2012000100001&script=sci_abstract&tlng=es
- Amouzougan, A., Lafaie, L., Marotte, H., Denarie, D., Collet, P., Pallot-Prades, B. y Thomas, T. (2017). High prevalence of dementia in women with osteoporosis. *Joint Bone Spine*, 84(5), 611-614. <https://doi.org/10.1016/j.jbspin.2016.08.002>
- Arias Sánchez, S., Saavedra Macías, F. J. y Avilés Carvajal, I. (2017). El cuidado, una actividad de riesgo en tiempos de crisis: una revisión de la investigación con cuidadoras españolas. *Psicoperspectivas*, 16(1), 42-54. https://www.scielo.cl/scielo.php?pid=S0718-69242017000100005&script=sci_arttext
- Bamford, S. y Walker, T. (2012). Women and dementia: not forgotten. *Maturitas*, 73(2), 121-126. <https://doi.org/10.1016/j.maturitas.2012.06.013>
- Bove, R., Secor, E., Chibnik, L. B., Barnes, L. L., Schneider, J. A., Bennett, D. A. y Jager, P. L. (2013). Age at surgical menopause influences cognitive decline and Alzheimer pathology in older women. *Neurology*, 82(3), 222-229. <https://doi.org/10.1212/WNL.0000000000000033>
- Buse, C. y Twigg, J. (2014). Women with dementia and their handbags: negotiating identity, privacy and 'home' through material culture. *Journal of Aging Studies*, 30, 14-22. <https://doi.org/10.1016/j.jaging.2014.03.002>

- Chen, J., Espeland, M. A., Brunner, R. L., Lovato, L. C., Wallace, R. B., Leng, X., ... y Mysiw, W. J. (2015). Sleep duration, cognitive decline, and dementia risk in older women. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 12(1), 21-33. <https://doi.org/10.1016/j.jalz.2015.03.004>
- Coppus, A., Evenhuis, H., Verberne, G., Visser, F. E., Eikelenboom, P., Gool, W. A., ... y Duijn, C. M. (2010). Early age at menopause is associated with increased risk of dementia and mortality in women with Down syndrome. *Journal of Alzheimer's Disease*, 19(2), 545-550. <https://doi.org/10.3233/JAD-2010-1247>
- Corbi, A. y Burgos, D. (2022). Connection between sleeping patterns and cognitive deterioration in women with Alzheimer's disease. *Sleep and Breathing*, 26, 361-371. <https://doi.org/10.1007/s11325-021-02327-x>
- Cuesta-Benjumea, C. (2009). «Estar tranquila»: la experiencia del descanso de cuidadoras de pacientes con demencia avanzada. *Enfermería Clínica*, 19(1), 24-30. <https://doi.org/10.1016/j.enfcli.2008.07.002>
- Derreberry, T. M. y Holroyd, S. (2019). Dementia in women. *Medical Clinics of North America*, 103(4), 713-721. <https://doi.org/10.1016/j.mcna.2019.02.004>
- Diem, S. J., Blackwell, T. L., Stone, K. L., Yaffe, K., Tranah, G., Cauley, J. A., ... y Ensrud, K. E. (2016). Measures of sleep-wake patterns and risk of mild cognitive impairment or dementia in older women. *The American Journal of Geriatric Psychiatry*, 24(3), 248-258. <https://doi.org/10.1016/j.jagp.2015.12.002>
- Erol, R., Brooker, D. y Peel, E. (2016). The impact of dementia on women internationally: an integrative review. *Health Care for Women International*, 37(12), 1320-1341. <https://doi.org/10.1080/07399332.2016.1219357>

- Erol, R., Brooker, D. y Peel, E. (2015). *Women and dementia: a global research review*. Alzheimer's Disease International. <https://www.alzint.org/resource/women-and-dementia-a-global-research-review/>
- Floud, S., Balkwill, A., Sweetland, S., Brown, A., Reus, E. M., Hofman, A., ... y Beral, V. (2021). Cognitive and social activities and long-term dementia risk: the prospective UK Million Women Study. *The Lancet Public Health*, 6(2), 116-123. [https://doi.org/10.1016/S2468-2667\(20\)30284-X](https://doi.org/10.1016/S2468-2667(20)30284-X)
- Floud, S., Simpson, R. F., Balkwill, A., Brown, A., Goodill, A., Gallacher, J., ... y Beral, V. (2019). Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women. *Neurology*, 94(2), 123-132. <https://doi.org/10.1212/WNL.00000000000008779>
- Frazer, S. M., Oyebode, J. R. y Cleary, A. (2011). How older women who live alone with dementia make sense of their experiences: an interpretative phenomenological analysis. *Dementia*, 11(5), 677-693. <https://doi.org/10.1177/1471301211419018>
- Ghadiri, F., Bahmani, M., Paulson, S. y Sadeghi, H. (2022). Effects of fundamental movement skills based dual-task and dance training on single- and dual-task walking performance in older women with dementia. *Geriatric Nursing*, 45, 85-92. <https://doi.org/10.1016/j.gerinurse.2022.03.003>
- Gifford, K. A., Bell, S. P., Liu, D., Neal, J. E., Turchan, M., Shah, A. S. y Jefferson, A. L. (2019). Frailty is related to subjective cognitive decline in older women without dementia. *Journal of the American Geriatrics Society*, 67(9), 1803-1811. <https://doi.org/10.1111/jgs.15972>
- Goveas, J. S., Espeland, M. A., Woods, N. F., Wassertheil-Smoller, S. y Kotchen, J. M. (2011). Depressive symptoms and incidence of mild cognitive impairment and probable dementia in elderly women: the Women's Health Initiative Memory Study. *Journal of the American Geriatrics Society*, 59(1), 57-66. <https://doi.org/10.1111/j.1532-5415.2010.03233.x>

- Hayden, K. M., Beavers, D. P., Steck, S. E., Hebert, J. M., Tabung, F. K., Shivappa, N., ... y Rapp, S. R. (2017). The association between an inflammatory diet and global cognitive function and incident dementia in older women: the Women's Health Initiative Memory Study. *Alzheimer's & Dementia*, 13(11), 1187-1196. <https://doi.org/10.1016/j.jalz.2017.04.004>
- Hazzouri, A. Z., Vittinghoff, E., Byers, A., Covinsky, K., Blazer, D., Diem, S., ... y Yaffe, K. (2013). Long-term cumulative depressive symptom burden and risk of cognitive decline and dementia among very old woman. *The Journals of Gerontology: Series A*, 69(5), 595-601. <https://doi.org/10.1093/gerona/glt139>
- Jamshed, N., Ozair, F. F., Aggarwal, P. y Ekka, M. (2014). Alzheimer disease in post-menopausal women: intervene in the critical window period. *Journal of Mid-Life Health*, 5(1), 38-40. <https://doi.org/10.4103/0976-7800.127791>
- Kassem, A. M., Ganguli, M., Yaffe, K., Hanlon, J. T., Lopez, O. L., Wilson, J. W., ... y Cauley, J. A. (2018). Anxiety symptoms and risk of dementia and mild cognitive impairment in the oldest old women. *Aging & Mental Health*, 22(4), 474-482. <https://doi.org/10.1080/13607863.2016.1274370>
- Kimura, A., Sugimoto, T., Kitamori, K., Saji, N., Niida, S., Toba, K. y Sakurai, T. (2019). Malnutrition is associated with behavioral and psychiatric symptoms of dementia in older women with mild cognitive impairment and early-stage Alzheimer's disease. *Nutrients*, 11(8), 1-14. <https://doi.org/10.3390/nu11081951>
- Kishino, Y., Sugimoto, T., Kimura, A., Kuroda, Y., Uchida, K., Matsumoto, ... y Sakurai, T. (2022). Longitudinal association between nutritional status and behavioral and psychological symptoms of dementia in older women with mild cognitive impairment and early-stage Alzheimer's disease. *Clinical Nutrition*, 41(9), 1906-1912. <https://doi.org/10.1016/j.clnu.2022.06.035>

- Knopman, D. S., Edland, S. D., Cha, R. H., Petersen, R. C. y Rocca, W. A. (2007). Incident dementia in women is preceded by weight loss by at least a decade. *Neurology*, 69(8), 739-746. <https://doi.org/10.1212/01.wnl.0000267661.65586.33>
- Lee, S. Y., Lim, J. S., Oh, D. J., Kong, I. G. y Choi, H. G. (2019). Increased risk of neurodegenerative dementia in women with migraines: a nested case-study using a national sample cohort. *Medicine*, 98(7), 1-6. <https://doi.org/10.1097/MD.00000000000014467>
- Luque-Carrillo, P., Morales-Cané, I., Carmona-Torres, J. M., Manfredini, R., Rodríguez-Borrego, M. A. y López-Soto, P. (2020). Mujeres con elevado nivel de estudios, víctimas del cuidado de personas con Alzheimer. *Enfermería Global*, 19(58), 390-405. https://scielo.isciii.es/scielo.php?script=sci_arttext&pid=S1695-61412020000200013
- Martinkova, J., Quevenco, F., Karcher, H, Ferrari, A., Sandset, E. C., Szoeki, C., ... y Ferretti, M. T.. (2021). Proportion of women and reporting of outcomes by sex in clinical trials for Alzheimer disease: a systematic review and meta-analysis. *JAMA Network Open*, 4(9), 1-17. <https://doi.org/10.1001/jamanetworkopen.2021.24124>
- Najar, J., Östling, S., Gudmundsson, P., Sundh, V., Johansson, L., Kern, S., ... y Skoog, I. (2019). Cognitive and physical activity and dementia: a 44-year longitudinal population study of women. *Neurology*, 92(12), 1322-1330. <https://doi.org/10.1212/WNL.0000000000007021>
- Neergaard, J. S., Dragsbæk, K., Hansen, H. B., Henriksen, K., Christiansen, C. y Karsdal, M. A. (2016). Late-life risk factors for all-cause dementia and differential dementia diagnoses in women: a prospective cohort study. *Medicine*, 95(11), 1-7. <https://doi.org/10.1097/MD.0000000000003112>

- Petkus, A. J., Resnick, S. M., Rapp, S. R., Espeland, M. A., Gatz, M., Widaman, K. F., ... y Chen, J. (2019). General and domain-specific cognitive reserve, mild cognitive impairment, and dementia risk in older women. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 5, 118-128. <https://doi.org/10.1016/j.trci.2019.02.003>
- Pöllänen, S. H. y Hirsimäki, R. M. (2014). Crafts as memory triggers in reminiscence: a case study of older women with dementia. *Occupational Therapy in Health Care*, 28(4), 410-430. <https://doi.org/10.3109/07380577.2014.941052>
- Proctor, G. (2001). Listening to older women with dementia: relationships, voices and power. *Disability & Society*, 16(3), 361-376. <https://doi.org/10.1080/09687590120045932>
- Sachs, B. C., Gaussoin, S. A., Brenes, G. A., Casanova, R., Chlebowski, R. T., Chen, J., ... y Hayden, K. M. (2022). The relationship between optimism, MCI, and dementia among postmenopausal women. *Aging & Mental Health*, 1-9. <https://doi.org/10.1080/13607863.2022.2084710>
- Sanz, V., Valero, J. M. y Cardoso, M. J. (2021). Evolución de la utilidad diagnóstica en demencias del test del reloj en mujeres mayores institucionalizadas. *Psiquiatría*, 25, 1-36. <https://zaguan.unizar.es/record/98272>
- Scott, H. (2021). The changing self: the impact of dementia on the personal and social identity of women (findings from the Improving the Experience of Dementia and Enhancing Active Life programme). *Dementia*, 21(2), 503-518. <https://doi.org/10.1177/14713012211047351>
- Shadyab, A. H., McEvoy, L. K., Horvath, S., Whitsel, E. A., Rapp, S. R., Espeland, M. A., ... y LaCroix, A. Z. (2022). Association of epigenetic age acceleration with incident mild cognitive impairment and dementia among older women. *The Journals of Gerontology: Series A*, 77(6), 1239-1244. <https://doi.org/10.1093/gerona/glab245>

- Spira, A. P., Rebok, G. W., Stone, K. L., Kramer, J. H. y Yaffe, K. (2012). Depressive symptoms in oldest-old women: risk of mild cognitive impairment and dementia. *The American Journal of Geriatric Psychiatry*, 20(12), 1006-1015. <https://doi.org/10.1097/JGP.0b013e318235b611>
- Stefanowski, B., Kucharski, M., Szeliga, A., Snopek, M., Kostrzak, A., Smolarczyk, R., ... y Englert-Golon. (2023). Cognitive decline and dementia in women after menopause: prevention strategies. *Maturitas*, 168, 53-61. <https://doi.org/10.1016/j.maturitas.2022.10.012>
- Subramaniapillai, S., Almey, A., Rajah, M. N. y Einstein, G. (2021). Sex and gender differences in cognitive and brain reserve: implications for Alzheimer's disease in women. *Frontiers in Neuroendocrinology*, 60, 1-16. <https://doi.org/10.1016/j.yfrne.2020.100879>
- Taylor, D. H., Ezell, M., Kuchibhatla, M., Østbye, T. y Clipp, E. C. (2008). Identifying trajectories of depressive symptoms for women caring for their husbands with dementia. *Journal of the American Geriatrics Society*, 56(2), 322-327. <https://doi.org/10.1111/j.1532-5415.2007.01558.x>
- Tranah, G. J., Blackwell, T., Stone, K. L., Ancoli-Israel, S., Paudel, M. L., Ensrud, K. E., ... y Yaffe, K. (2011). Circadian activity rhythms and risk of incident dementia and mild cognitive impairment in older women. *Annals of Neurology*, 70(5), 722-732. <https://doi.org/10.1002/ana.22468>
- Walters, A. H., Oyebode, J. R. y Riley, G. A. (2010). The dynamics of continuity and discontinuity for women caring for a spouse with dementia. *Dementia*, 9(2), 169-189. <https://doi.org/10.1177/1471301209354027>
- Wang, X., Younan, D., Millstein, J., Petkus, A. J., García, E., Beavers, D. P., ... y Chen, J. (2022). Association of improved air quality with lower dementia risk in older women. *Proceedings of the National Academy of Sciences*, 119(2), 1-8. <https://doi.org/10.1073/pnas.2107833119>

- Ward-Griffin, C., Bol, N. y Oudshoorn, A. (2006). Perspectives of women with dementia receiving care from their adult daughters. *Canadian Journal of Nursing Research Archive*, 38(1), 120-146. <https://pubmed.ncbi.nlm.nih.gov/16671284/>
- Witt, L., Ploeg, J. y Black, M. (2010). Living alone with dementia: an interpretive phenomenological study with older women. *Journal of Advanced Nursing*, 66(8), 1698-1707. <https://doi.org/10.1111/j.1365-2648.2010.05295.x>
- Xiao, Q., Shadyab, A. H., Rapp, S. R., Stone, K. L., Yaffe, K., Sampson, J. N., ... y LaCroix, A. Z. (2022). Rest-activity rhythms and cognitive impairment and dementia in older women: results from the Women's Health Initiative. *Journal of the American Geriatrics Society*, 70(10), 2925-2937. <https://doi.org/10.1111/jgs.17926>
- Yaffe, K., Middleton, L. E., Lui, L., Spira, A. P., Stone, K., Racine, C., ... y Kramer, J. H. (2011). Mild cognitive impairment, dementia, and their subtypes in oldest old women. *Archives of Neurology*, 68(5), 631-636. <https://doi.org/10.1001/archneurol.2011.82>