

ÁREA DE DOCUMENTACIÓN

CENTRO DE REFERENCIA ESTATAL DE ATENCIÓN A PERSONAS CON ENFERMEDAD DE ALZHEIMER Y OTRAS DEMENCIAS IMERSO

ACTIVIDAD FÍSICA Y DEMENCIAS

Referencias bibliográficas

1. Almeida, S. I., Silva, M. G. y Marques, A. S. (2020). Home-based physical activity programs for people with dementia: systematic review and meta-analysis. *The Gerontologist*, 60(8), 600-608. <https://doi.org/10.1093/geront/gnz176>
2. Alphen, H. J., Hortobágyi, T. y Heuvelen, M. J. (2016). Barriers, motivators, and facilitators of physical activity in dementia patients: a systematic review. *Archives of Gerontology and Geriatrics*, 66, 109-118. <https://doi.org/10.1016/j.archger.2016.05.008>
3. Anderiesen, H., Scherder, E. J., Goossens, R. H. y Sonneveld, M. H. (2014). A systematic review – physical activity in dementia: the influence of the nursing home environment. *Applied Ergonomics*, 45(6), 1678-1686. <https://doi.org/10.1016/j.apergo.2014.05.011>
4. Blondell, S. J., Hammersley-Mather, R. y Veerman, J. L. (2014). Does physical activity prevent cognitive decline and dementia? A systematic review and meta-analysis of longitudinal studies. *BMC Public Health*, 14, 1-12. <https://doi.org/10.1186/1471-2458-14-510>
5. Brasure, M., Desai, P., Davila, H., Nelson, V. A., Calvert, C., Jutkowitz, E., ... y Kane, R. L. (2017). Physical activity interventions in preventing cognitive decline and Alzheimer-type dementia: a systematic review. *Annals of Internal Medicine*, 168(1), 1-30-38. <https://doi.org/10.7326/M17-1528>

6. Brellenthin, A. G., Lee, D., Lefferts, E. C., Lefferts, W. K., Dougherty, R. J. y Kim, Y. (2024). Physical activity intensity and risk of dementia. *American Journal of Preventive Medicine*, 66(6), 948-956. <https://doi.org/10.1016/j.amepre.2024.01.015>
7. Castro-Jiménez, L. E. y Galvis-Fajardo, C. A. (2018). Efecto de la actividad física sobre el deterioro cognitivo y la demencia. *Revista Cubana de Salud Pública*, 44(3), 1-24. <https://www.scielosp.org/article/rcsp/2018.v44n3/e979/>
8. Dios Rodríguez, E. (2023). *Actividad física de las personas con demencia y de sus cuidadores familiares en atención primaria: Afisdemyf* [Tesis Doctoral, Universidad de Salamanca]. <https://gedos.usal.es/handle/10366/157868>
9. Demurtas, J., Schoene, D., Torbahn, G., Marengoni, A., Grande, G., Zou, L., ... y Veronese, N. (2020). Physical activity and exercise in mild cognitive impairment and dementia: an umbrella review of intervention and observational studies. *Journal of the American Medical Directors Association*, 21(10), 1415-1422. <https://doi.org/10.1016/j.jamda.2020.08.031>
10. Dominguez, L. J., Veronese, N., Vernuccio, L., Catanese, G., Inzerillo, F., Salemi, G. y Barbagallo, M. (2021). Nutrition, physical activity, and other lifestyle factors in the prevention of cognitive decline and dementia. *Nutrients*, 13(11), 1-60. <https://doi.org/10.3390/nu13114080>
11. Feenstra, R. W., Bruin, L. J. y Heuvelen, M. J. (2023). Factors affecting physical activity in people with dementia: a systematic review and narrative synthesis. *Behavioral Sciences*, 13(11), 1-20. <https://doi.org/10.3390/bs13110913>
12. Frederiksen, K. S., Gjerum, L., Waldemar, G. y Hasselbalch, S. G. (2019). Physical activity as a moderator of Alzheimer pathology: a systematic review of observational studies. *Current Alzheimer Research*, 16(4), 362-378. <https://doi.org/10.2174/1567205016666190315095151>



13. Galik, E., Resnick, B., Hammersla, M. y Brightwater, J. (2014). Optimizing function and physical activity among nursing home residents with dementia: testing the impact of function-focused care. *The Gerontologist*, 54(6), 930-943. <https://doi.org/10.1093/geront/gnt108>
14. Gallaway, P. J., Miyake, H., Buchowski, M. S., Shimada, M., Yoshitake, Y., Kim, A. S. y Hongu, N. (2017). Physical activity: a viable way to reduce the risks of mild cognitive impairment, Alzheimer's disease, and vascular dementia in older adults. *Brain Sciences*, 7(2), 1-16. <https://doi.org/10.3390/brainsci7020022>
15. Garshol, B. F., Ellingsen-Dalskau, L. H. y Pedersen, I. (2020). Physical activity in people with dementia attending farm-based dementia day care: a comparative actigraphy study. *BMC Geriatrics*, 20, 1-10. <https://doi.org/10.1186/s12877-020-01618-4>
16. Grande, G., Vanacore, N., Maggiore, L., Cucumo, V., Ghiretti, R., Galimberti, D., ... y Clerici, F. (2014). Physical activity reduces the risk of dementia in mild cognitive impairment subjects: a cohort study. *Journal of Alzheimer's Disease*, 39(4), 833-839. <https://doi.org/10.3233/JAD-131808>
17. Groot, C., Hooghiemstra, A. M., Raijmakers, P. G., Berckel, B. N., Scheltens, P., Scherder, E. J., ... y Ossenkoppele, R. (2016). The effect of physical activity on cognitive function in patients with dementia: a meta-analysis of randomized control trials. *Ageing Research Reviews*, 25, 13-23. <https://doi.org/10.1016/j.arr.2015.11.005>
18. Guure, C. B., Ibrahim, N. A., Adam, M. B. y Said, S. M. (2017). Impact of physical activity on cognitive decline, dementia, and its subtypes: meta-analysis of prospective studies. *BioMed Research International*, 2017, 1-13. <https://doi.org/10.1155/2017/9016924>
19. Henskens, M., Nauta, I. M., Eekeren, M. C. y Scherder, E. J. (2018). Effects of physical activity in nursing home residents with dementia: a randomized controlled trial. *Dementia and Geriatric Cognitive Disorders*, 46(1-2), 60-80. <https://doi.org/10.1159/000491818>

20. Huang, X., Tan, C. S., Kandiah, N. y Hilal, S. (2023). Association of physical activity with dementia and cognitive decline in UK Biobank. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 15(3), 1-9.
<https://doi.org/10.1002/dad2.12476>
21. Iso-Markku, P., Kujala, U. M., Knittle, K., Polet, J., Vuoksima, E. y Waller, K. (2023). Physical activity as a protective factor for dementia and Alzheimer's disease: systematic review, meta-analysis and quality assessment of cohort and case-control studies. *British Journal of Sports Medicine*, 56(12), 1-11.
<https://doi.org/10.1136/bjsports-2021-104981>
22. Jia, R., Liang, J., Xu, Y. y Wang, Y. (2019). Effects of physical activity and exercise on the cognitive function of patients with Alzheimer disease: a meta-analysis. *BMC Geriatrics*, 19, 1-14. <https://doi.org/10.1186/s12877-019-1175-2>
23. Kim, S. A., Shin, D., Ham, H., Kim, Y., Gu, Y., Kim, H. J., ... y Jang, H. (2025). Physical activity, Alzheimer plasma biomarkers, and cognition. *JAMA Network Open*, 8(3), 1-14. <http://doi.org/10.1001/jamanetworkopen.2025.0096>
24. Kim, Y. J., Han, K., Baek, M. S., Cho, H., Lee, E. J. y Lyoo, C. H. (2020). Association between physical activity and conversion from mild cognitive impairment to dementia. *Alzheimer's Research & Therapy*, 12, 1-8.
<https://doi.org/10.1186/s13195-020-00707-1>
25. Llamas-Velasco, S., Contador, I., Villarejo-Galende, A., Lora-Pablos, D. y Bermejo-Pareja, F. (2015). Physical activity as protective factor against dementia: a prospective population-based study (NEDICES). *Journal of the International Neuropsychological Society*, 21(S10), 861-867.
<https://doi.org/10.1017/S1355617715000831>
26. Ledezma Dames, A. (2017). *Efecto de la actividad física aeróbica sobre el deterioro cognitivo leve y estadios tempranos de demencia en personas mayores* [Tesis Doctoral, Universidade da Coruña]. <http://hdl.handle.net/2183/19308>

27. Lee, H. S., Park, S. W. y Park, Y. J. (2016). Effects of physical activity programs on the improvement of dementia symptom: a meta-analysis. *BioMed Research International*, 2016, 1-7. <https://doi.org/10.1155/2016/2920146>
28. Lee, J. (2018). The relationship between physical activity and dementia: a systematic review and meta-analysis of prospective cohort studies. *Journal of Gerontological Nursing*, 44(10), 22-29. <https://doi.org/10.3928/00989134-20180814-01>
29. López, N., Véliz, A., Soto-Añari, M., Ollari, J., Chesta, S. y Allegri, R. (2015). Efectos de un programa combinado de actividad física y entrenamiento cognitivo en pacientes chilenos con Alzheimer leve. *Neurología Argentina*, 7(3), 131-139. <https://doi.org/10.1016/j.neuarg.2015.04.001>
30. Martínez Canales, C. (2018). *Niveles de actividad física y factores que influyen en el sedentarismo o en la práctica de actividad física en personas con deterioro cognitivo leve y Alzheimer leve* [Tesis Doctoral, Universidad de Alicante]. <http://hdl.handle.net/10045/83167>
31. McCartney, A., Crosswell, J., Rafnsson, S. B. y Hoe, J. (2024). The effectiveness of structured physical activity on agitation in people with dementia: a rapid review. *Aging & Mental Health*, 28(8), 1067-1077. <https://doi.org/10.1080/13607863.2024.2345129>
32. Nabe-Nielsen, K., Holtermann, A., Gyntelberg, F., Garde, A. H., Islamoska, S., Prescott, E., ... y Hansen, A. (2021). The effect of occupational physical activity on dementia: results from the Copenhagen male study. *Scandinavian Journal of Medicine & Science in Sports*, 31(2), 446-455. <https://doi.org/10.1111/sms.13846>
33. Najar, J., Östling, S., Gudmundsson, P., Sundh, V., Johansson, L., Kern, S., ... y Skoog, I. (2019). Cognitive and physical activity and dementia: a 44-year longitudinal population study of women. *Neurology*, 92(12), 1322-1330. <https://doi.org/10.1212/WNL.0000000000007021>

34. Nuzum, H., Stickel, A., Corona, M., Zeller, M., Melrose, R. J. y Wilkins, S. S. (2020). Potential benefits of physical activity in MCI and dementia. *Behavioural Neurology*, 2020(1), 1-10. <https://doi.org/10.1155/2020/7807856>
35. Orgeta, V. y Miranda-Castillo, C. (2014). Does physical activity reduce burden in carers of people with dementia? A literature review. *International Journal of Geriatric Psychiatry*, 29(8), 771-783. <https://doi.org/10.1002/gps.4060>
36. Phillips, C., Baktir, M. A., Das, D., Lin, B. y Salehi, A. (2015). The link between physical activity and cognitive dysfunction in Alzheimer disease. *Physical Therapy*, 95(7), 1046-1060. <https://doi.org/10.2522/ptj.20140212>
37. Picado Valverde, E. M. y Pérez de Unzueta López de Echezarreta, J. (2018). Estudio transversal de la calidad de vida según su actividad física en pacientes con Alzheimer e inicio de la enfermedad. *Revista Gallega de Terapia ocupacional TOG*, 15(28), 273-283. <https://www.revistatog.es/ojs/index.php/tog/num28>
38. Russo, M. J., Kañevsky, A., Leis, A., Iturry, M., Roncoroni, M., Serrano, C., ... y Zuin, D. (2020). Papel de la actividad física en la prevención de deterioro cognitivo y demencia en adultos mayores: una revisión sistemática. *Neurología Argentina*, 12(2), 124-137. <https://doi.org/10.1016/j.neuarg.2020.01.003>
39. Sabia, S., Dugravot, A., Dartigues, J., Abell, J., Elbaz, A., Kivimäki, M. y Singh-Manoux, A. (2017). Physical activity, cognitive decline, and risk of dementia: 28 year follow-up of Whitehall II cohort study. *BMJ*, 357, 1-12. <https://doi.org/10.1136/bmj.i2709>
40. Santos-Lozano, A., Pareja-Galeano, H., Sanchis-Gomar, F., Quindós-Rubial, M., Fiuza-Luces, C., Cristi-Montero, C., ... y Lucia, A. (2016). Physical activity and Alzheimer disease: a protective association. *Mayo Clinic Proceedings*, 91(8), 999-1020. <https://doi.org/10.1016/j.mayocp.2016.04.024>
41. Soni, M., Orrell, M., Bandelow, S., Steptoe, A., Rafnsson, S., d'Orsi, E. y Hogervorst, E. (2019). Physical activity pre- and post-dementia: English longitudinal study of ageing. *Aging & Mental Health*, 23(1), 15-21. <https://doi.org/10.1080/13607863.2017.1390731>

42. Stubbs, B., Eggermont, L., Soundy, A., Probst, M., Vandebulske, M. y Vancampfort, D. (2014). What are the factors associated with physical activity (PA) participation in community dwelling adults with dementia? A systematic review of PA correlates. *Archives of Gerontology and Geriatrics*, 59(2), 195-203. <https://doi.org/10.1016/j.archger.2014.06.006>
43. Tan, Z. S., Spartano, N. L., Beiser, A. S., DeCarli, C., Auerbach, S. H., Vasan, R. S. y Seshadri, S. (2017). Physical activity, brain volume, and dementia risk: the Framingham study. *The Journals of Gerontology: Series A*, 72(6), 789-795. <https://doi.org/10.1093/gerona/glw130>
44. Telenius, E. W., Tangen, G. G., Eriksen, S. y Rokstad, A. M. (2022). Fun and a meaningful routine: the experience of physical activity in people with dementia. *BMC Geriatrics*, 22, 1-10. <https://doi.org/10.1186/s12877-022-03149-6>
45. Tolppanen, A., Solomon, A., Kulmala, J., Kåreholt, I., Ngandu, T., Rusanen, M., ... y Kivipelto, M. (2015). Leisure-time physical activity from mid- to late life, body mass index, and risk of dementia. *Alzheimer's & Dementia*, 11(4), 434-443. <https://doi.org/10.1016/j.jalz.2014.01.008>
46. Venegas-Sanabria, L. C., Martínez-Vizcaino, V., Cavero-Redondo, I., Chavarro-Carvajal, D. A., Cano-Gutierrez, C. A. y Álvarez-Bueno, C. (2021). Effect of physical activity on cognitive domains in dementia and mild cognitive impairment: overview of systematic reviews and meta-analyses. *Aging & Mental Health*, 25(11), 1977-1985. <https://doi.org/10.1080/13607863.2020.1839862>
47. Veronese, N., Solmi, M., Basso, C., Smith, L. y Soysal, P. (2019). Role of physical activity in ameliorating neuropsychiatric symptoms in Alzheimer disease: a narrative review. *International Journal of Geriatric Psychiatry*, 34(9), 1316-1325. <https://doi.org/10.1002/gps.4962>
48. Veronese, N., Soysal, P., Demurtas, J., Solmi, M., Bruyère, O., Chistodoulou, N., ... y Ars, J. (2023). Physical activity and exercise for the prevention and management of mild cognitive impairment and dementia: a collaborative international guideline. *European Geriatric Medicine*, 14, 925-952. <https://doi.org/10.1007/s41999-023-00858-y>

49. Yamasaki, T. (2023). Preventive strategies for cognitive decline and dementia: benefits of aerobic physical activity, especially open-skill exercise. *Brain Sciences*, 13(3), 1-13. <https://doi.org/10.3390/brainsci13030521>
50. Zeng, Y., Wang, J., Cai, X., Zhang, X., Zhang, J., Peng, M., ... y Yan, F. (2023). Effects of physical activity interventions on executive function in older adults with dementia: a meta-analysis of randomized controlled trials. *Geriatric Nursing*, 51, 369-377. <https://doi.org/10.1016/j.gerinurse.2023.04.012>